

Tennessee's State Mathematics Standards - Algebra II

Domain	Cluster	Standard	Scope and Clarifications	
Number and Quantity	The Real Number System (N-RN)	Extend the properties of exponents to rational exponents	1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. <i>For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5.</i>	<i>There is no additional scope or clarification information for this standard.</i>
			2. Rewrite expressions involving radicals and rational exponents using the properties of exponents.	<i>There is no additional scope or clarification information for this standard.</i>
	Quantities* (N-Q)	Reason quantitatively and use units to solve problems.	2. Define appropriate quantities for the purpose of descriptive modeling.	This standard will be assessed in Algebra II by ensuring that some modeling tasks (involving Algebra II content or securely held content from previous grades and courses) require the student to create a quantity of interest in the situation being described (i.e., this is not provided in the task). For example, in a situation involving periodic phenomena, the student might autonomously decide that amplitude is a key variable in a situation, and then choose to work with peak amplitude.
The Complex Number System (N-CN)	Perform arithmetic complex numbers.	1. Know there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ with a and b real.	<i>There is no additional scope or clarification information for this standard.</i>	
		2. Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.	<i>There is no additional scope or clarification information for this standard.</i>	
	Use complex numbers and equations.	7. Solve quadratic equations with real coefficients that have complex solutions.	<i>There is no additional scope or clarification information for this standard.</i>	

Tennessee's State Mathematics Standards - Algebra II

Algebra	Seeing Structure in Expressions (A-SSE)	Interpret the structure of expressions	2. Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i>	<p>i) Tasks are limited to polynomial, rational, or exponential expressions.</p> <p>ii) Examples: see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. In the equation $x^2 + 2x + 1 + y^2 = 9$, see an opportunity to rewrite the first three terms as $(x+1)^2$, thus recognizing the equation of a circle with radius 3 and center $(-1, 0)$. See $(x^2 + 4)/(x^2 + 3)$ as $(x^2 + 3 + 1)/(x^2 + 3)$, thus recognizing an opportunity to write it as $1 + 1/(x^2 + 3)$.</p>
		Write expressions in equivalent forms to solve problems	<p>3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.★</p> <p>c. Use the properties of exponents to transform expressions for exponential functions. <i>For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i></p> <p>4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. <i>For example, calculate mortgage payments.★</i></p>	<p>i) Tasks have a real-world context. As described in the standard, there is an interplay between the mathematical structure of the expression and the structure of the situation such that choosing and producing an equivalent form of the expression reveals something about the situation.</p> <p>ii) Tasks are limited to exponential expressions with rational or real exponents.</p>
		Understand the relationship between zeros and factors of Polynomials	2. Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a , the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$.	There is no additional scope or clarification information for this standard.
	Arithmetic with Polynomials and Rational Expressions (A-APR)	Use polynomial identities to solve problems	3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	i) Tasks include quadratic, cubic, and quartic polynomials and polynomials for which factors are not provided. For example, find the zeros of $(x^2 - 1)(x^2 + 1)$
		Use polynomial identities to solve problems	4. Prove polynomial identities and use them to describe numerical relationships. <i>For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.</i>	There is no additional scope or clarification information for this standard.
		Rewrite expressions	6. Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more complicated examples, a computer algebra system.	There is no additional scope or clarification information for this standard.

Tennessee's State Mathematics Standards - Algebra II

Algebra	Creating Equations* (A-CED)	Create equations that describe numbers or relationships	<p>1. Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p>	<p>i) Tasks are limited to exponential equations with rational or real exponents and rational functions. ii) Tasks have a real-world context.</p>
	Reasoning with Equations and Inequalities (A-REI)	Understand solving equations as a process of reasoning and explain the reasoning	<p>1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.</p>	<p>i) Tasks are limited to simple rational or radical equations.</p>
			<p>2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
		Solve equations and inequalities in one variable	<p>4. Solve quadratic equations in one variable. b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b.</p>	<p>i) In the case of equations that have roots with nonzero imaginary parts, students write the solutions as $a \pm bi$ for real numbers a and b.</p>
		Solve systems of equations	<p>6. Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.</p>	<p>i) Tasks are limited to 3x3 systems.</p>
			<p>7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. <i>For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.</i></p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
	Represent and and inequalities	<p>11. Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.*</p>	<p>i) Tasks may involve any of the function types mentioned in the standard.</p>	

Tennessee's State Mathematics Standards - Algebra II

Functions	Interpreting Functions (F-IF)	Understand the concept of a function and use function notation	<p>3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. <i>For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$.</i></p>	<p>i) This standard is Supporting work in Algebra II. This standard should support the Major work in F-BF.2 for coherence.</p>
		Interpret functions that arise in applications in terms of the context	<p>4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i>★</p>	<p>i) Tasks have a real-world context ii) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions. <i>Compare note (ii) with standard F-IF.7.</i></p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.6 and F-IF.9.</i></p>
			<p>6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. ★</p>	<p>i) Tasks have a real-world context. ii) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions.</p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.4 and F-IF.9.</i></p>
		Analyze functions using	<p>7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.★</p> <p>c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p> <p>e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
			<p>8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p>b. Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth or decay.</i></p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
			<p>9. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i></p>	<p>i) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions.</p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.4 and F-IF.6.</i></p>

Tennessee's State Mathematics Standards - Algebra II

Functions	Building Functions (F-BF)	Build a function that models a relationship between two quantities	<p>1. Write a function that describes a relationship between two quantities.*</p> <p>a. Determine an explicit expression, a recursive process, or steps for calculation from a context.</p> <p>b. Combine standard function types using arithmetic operations. <i>For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i></p>	<p>For F-BF.1a:</p> <p>i) Tasks have a real-world context</p> <p>ii) Tasks may involve linear functions, quadratic functions, and exponential functions.</p>
			<p>2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.*</p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
		Build new functions from existing functions	<p>3. Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. <i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i></p>	<p>i) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions</p> <p>ii) Tasks may involve recognizing even and odd functions.</p> <p><i>The function types listed in note (i) are the same as those listed in the Algebra II column for standards F-IF.4, F-IF.6, and F-IF.9.</i></p>
			<p>4. Find inverse functions.</p> <p>a. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. <i>For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$.</i></p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
	Linear, Quadratic, and Exponential Models* (F-LE)	Construct and compare linear, quadratic, and exponential models and solve problems	<p>2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).</p>	<p>i) Tasks will include solving multi-step problems by constructing linear and exponential functions.</p>
			<p>4. For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.</p>	<p><i>There is no additional scope or clarification information for this standard.</i></p>
Interpret functions in terms of the model		<p>5. Interpret the parameters in a linear or exponential function in terms of a context.</p>	<p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to exponential functions with domains not in the integers.</p>	

Tennessee's State Mathematics Standards - Algebra II

Functions	Trigonometric Functions (F-TF)	Extend the domain of trigonometric functions using the unit circle	1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.	<i>There is no additional scope or clarification information for this standard.</i>
		2. Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.	<i>There is no additional scope or clarification information for this standard.</i>	
		Model periodic phenomena with trigonometric functions	5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline. *	<i>There is no additional scope or clarification information for this standard.</i>
		Prove and apply trigonometric identities	8. Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ and the quadrant of the angle.	<i>There is no additional scope or clarification information for this standard.</i>
	Geometry	Expressing Geometric Properties with Equations (G-GPE)	Translate between the and the equation for a	2. Derive the equation of a parabola given a focus and directrix.

Tennessee's State Mathematics Standards - Algebra II

Statistics and Probability	Interpreting Categorical and Quantitative Data (S-ID)	Summarize, represent, and interpret data on a single count or measurement variable	4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.	<i>There is no additional scope or clarification information for this standard.</i>
		Summarize, represent, and interpret data on two categorical and quantitative variables	6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. <i>Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.</i>	i) Tasks have a real-world context. ii) Tasks are limited to exponential functions with domains not in the integers and trigonometric functions.
	Making Inferences and Justifying Conclusions (S-IC)	Understand and evaluate random processes underlying statistical experiments	1. Understand statistics as a process for making inferences about population parameters based on a random sample from that population.	<i>There is no additional scope or clarification information for this standard.</i>
			2. Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. <i>For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</i>	<i>There is no additional scope or clarification information for this standard.</i>
		Make inferences and justify observational studies	3. Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.	<i>There is no additional scope or clarification information for this standard.</i>
			4. Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.	<i>There is no additional scope or clarification information for this standard.</i>
		5. Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.	<i>There is no additional scope or clarification information for this standard.</i>	
		6. Evaluate reports based on data.	<i>There is no additional scope or clarification information for this standard.</i>	

Tennessee's State Mathematics Standards - Algebra II

Statistics and Probability	Conditional Probability and the Rules of Probability (S-CP)	Understand independence and conditional probability and use them to interpret data	1. Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”).	<i>There is no additional scope or clarification information for this standard.</i>
			2. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.	<i>There is no additional scope or clarification information for this standard.</i>
			3. Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$, and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A , and the conditional probability of B given A is the same as the probability of B .	<i>There is no additional scope or clarification information for this standard.</i>
			4. Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. <i>For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.</i>	<i>There is no additional scope or clarification information for this standard.</i>
			5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. <i>For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i>	<i>There is no additional scope or clarification information for this standard.</i>
		Use the rules of probability to compute probabilities of compound events in a uniform probability model	6. Find the conditional probability of A given B as the fraction of B 's outcomes that also belong to A , and interpret the answer in terms of the model.	<i>There is no additional scope or clarification information for this standard.</i>
			7. Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$, and interpret the answer in terms of the model.	<i>There is no additional scope or clarification information for this standard.</i>

	Major Content	Supporting Content	Additional Content
--	----------------------	---------------------------	---------------------------

Mathematical Modeling is a Standard for Mathematical Practice (MP4) and a Conceptual Category, and specific modeling standards appear throughout the high school standards indicated with a star (). Where an entire domain is marked with a star, each standard in that domain is a modeling standard.